

FIREROSE INS NIC SALTS



READ ALL OF THIS MANUAL CAREFULLY BEFORE YOU START USING THIS PRODUCT

This product is intended only for adult smokers. This product is not recommended for non-smokers young people (under the age of 21), pregnant or breast-feeding women and those experiencing general ill health.

INTRODUCTION

- Nicotine Salts is a specific formulation of nicotine used in low wattage devices.
- Nicotine Salts offer high nicotine strength and are available in 20mg and 50mg.
- Nicotine Salts are made to have a smoother throat hit even at high nicotine strength.
- Beginner users are suggested to start using at low nicotine level.

WARNING AND PRECAUTIONS

Nicotine containing e-liquids are not recommended for:

- Non-smokers
 - Young people under the age of 21 years
 - Pregnant or breast feeding women as nicotine is known to cross the placenta and to be excreted breast milk
 - Those experiencing general health, such as heart disease stomach and duodenal ulcers, liver or kidney problems, long term throat disease or difficulty breathing due to bronchitis, emphysema or asthma
 - Those who have an over active thyroid gland or have a phaeochromocytoma (a tumour of the adrenal gland that can affect high blood pressure)
 - Those who have diabetes as nicotine may affect your blood sugar levels
- Those taking the following medication:

- Theophylline (to treat breathing problems)
- Ropinirole (to treat restless legs)
- Clozapone (to treat schizophrenia)

INDICATION FOR USE

Shake it well before use



1. Push the cap down and turn it anti-clockwise at the same time. Remove the cap.



2. Insert the nozzle of the bottle into the filling port of the cartridge. The nozzle width is 1.8 to 2.6mm.



3. Squeeze the bottle gently to fill the cartridge.



4. Carefully pull the nozzle out and put the cap back. Store the product in a safe and dry place.

POSSIBLE SIDE EFFECTS

If you inhale too much nicotine or use the product too much you may experience one or more of the following effects:

- Feeling faint
- Nausea
- Headache
- Coughing
- Irritation in the mouth or throat
- Dizziness
- Stomach discomfort
- Hiccups
- Nasal congestion
- Vomiting (being sick)
- Chest palpitations

If you experience any side effects not listed in this manual please stop using this product. If the effect continue after you stop using, consult your doctor or healthcare professionals and bring this manual with you.

ADDICTIVENESS

This product contains nicotine. Nicotine is an addictive chemical. Adult use only. Underage sale prohibited.

TOXICITY

This product contains nicotine which may produce toxic effects if consumed orally, especially in infants and children. Please DO NOT drink this product. In case it is consumed please take this manual with you, and see a general practitioner immediately. In case of contact with skin, rinse immediately with cold running water for at least 15 minutes.

HOW TO STORE YOUR INS NIC SALTS

Store below 25 degrees Celsius in a clean and dry place. Keep the product out of the reach of children and pets.

Dongguan Topson Electronic Technology Co., Ltd.
Room 201, Room 401, Building 1, No.351, Gongchang Road, Huangjiang Town, Dongguan City, Guangdong Province, China.



DANGER
Made by Hongfu